



Conveyor configurator form

Client

Mail

Phone.....

Purpose of quote (quotation for project budget, etc)

Conveyor length:
 Active conveyor width:
 Maximum width of structure if limited:
 Conveyor height if horizontal:
 Conveyor input (if there is a height difference):
 Conveyor output (if there is a height difference):
 Belt speed:


Conveyor length:
 Active conveyor width:
 Maximum width of structure if limited:
 Conveyor height if horizontal:
 Conveyor input (if there is a height difference):
 Conveyor output (if there is a height difference):
 Belt speed:

Structure type:

- Mild stild
- Stainless steel
- Aluminium
- Special structure (plastic)

Transport surface:


| | |
|---|---|
| <ul style="list-style-type: none"> • Belt PVC Polyurethane Modular Steel mesh Rubber | <ul style="list-style-type: none"> • Rollers Geared Steel Stainless steel |
| <ul style="list-style-type: none"> • Belt accessories Sidewalls Cleats Other | <ul style="list-style-type: none"> • Gravitational PVC Steel Stainless steel |
| | <ul style="list-style-type: none"> • Chain Stainless steel Plastic Simple chain |





Sideguards:

- Fixed
- Width Adjustable
- Height adjustable



SELF TRUST SRL
HEAD OFFICE AND FACTORY
IASI, ROMANIA
34th Bucium Street, 700265
Phone +40 232 406 041 Fax +40 232 276 596

SALES OFFICE
BUCHAREST, ROMANIA
96th Popa Stoica Farcas,
3rd Sector, 031454
Phone/Fax +40 21 332 34 04



Support structure

No structure

Fixed structure

Adjustable height (note the interval)

Fixed height (note the height)

With fixed legs to the floor

With structure fixed to the ceiling

Structure with wheels

Pivoting

Fixed

With brakes

Conveyor form

Straight

Curved

Horizontal

Inclined

Elevator

Type of drive

No drive

Central

End position

Motor roller

Control panel

No Control panel

Simple (start / stop)

Simple (start / stop with direction change)

With speed control

Complex automation

Other details

Product description:

Workflow description:

